



43EU SALES KIT

GRAND BANKS YACHTS USA [95 ROWAYTON AVENUE ROWAYTON, CT 06853] 203-866-0882

GRAND BANKS YACHTS USA [1866 OTTAWA BEACH ROAD SUITE M HOLLAND, MI 49424] 206-352-0116

GRAND BANKS YACHTS USA [2515 MARINA BAY DRIVE WEST #101 FORT LAUDERDALE, FL 33312] 954-530-4379

GRAND BANKS YACHTS [GRAND BANKS YACHTS SDN BHD PLO 488, JALAN SUASA 81707 PASIR GUDANG JOHOR, MALAYSIA] grandbanks.com




43EU DECK LAYOUT



43EU STANDARD MAIN DECK LAYOUT



43EU STANDARD LOWER DECK LAYOUT



43EU SPECIFICATIONS & VOLUMES



43EU STANDARD EQUIPMENT

Grand Banks believes that all the specifications and data set forth herein are accurate as of the data these materials were prepared. Specifications change from time to time, and actual specifications and performance may vary from those set forth herein. Performance specifications and capacities are based upon tested conditions, and actual specifications and capacities may vary from those set forth herein. Grand Banks shall not be held liable for any discrepancies between the specifications set forth herein and the actual specifications or performance of any Grand Banks vessel. The specifications set forth in the bill of sale for a particular vessel shall be controlling in case of any conflict with brochures or other marketing materials.

CONSTRUCTION

- Fiberglass outer skin: Gel-coated, Cook Composites & Polymers
- Fiberglass: hand laid
- Hull boot stripe: painted Awlgrip, "Flag Blue"
- Hull lamination: Hydrex Vinyl Ester
- Hull structural grid: fiberglass and core
- Hull: fiberglass cored, with cross-linked PVC foam core
- Keel: full length extending below running gear
- Quarter guard: FRP molded, with stainless steel rubrail
- Structural bulkheads: composite, watertight below DWL and water resistance above chine line
- Antifouling: International Micron Extra

ENGINEERING

- Ball valves and thru hull plastic fittings above waterline
- Engine controls: Twin Disc EC300
- Engine raw water intake strainers
- Engine room faucet: fresh water, cold only
- Engine room sole: molded FRP, with non-skid
- Engine room sound insulation: Fiberglass wool, panels
- Exhaust system: Taylor Marine exhaust
- Exhaust system: custom exhaust riser to suit engine
- Generator exhaust system: with gas/water separator, Centek
- Fire extinguisher: in engine room, with engine-generator-blower shut down and override control
- Fuel filters: Water separators on each engine (single) and generator (single)
- Fuel tanks: 2000 liters (528 US gallons), Fiberglass Tank
- Propellers: nickel-aluminium-bronze, dynamically balanced, 4 blades

ENGINEERING, CONT

- Steering: Hypro 24V fly by wire electro hydraulic
- Struts: bronze with cutlass rubber bearings
- Water purification system: Microbiological Seagull IV x-1F purifier with faucet, in galley
- Water tanks: two tanks, polyethylene, food grade, total 742 liters (196 US gallons) capacity, Wrengo

ELECTRICAL SPECIFICATIONS

- Air horn: DC, dual "trumpets", AFI Marine
- Air Conditioning: Dometic, 2 x 18 BTU
- Alarm panel: LED panel, at upper helm
- Batteries - Engines: Two (2) 24V banks
- Batteries - Service: Two (2) 24V banks
- Batteries - Bow Thruster: One (1) 24V banks
- Battery - Generator: 1 unit AGM Lifeline, 12V
- Battery charger - 24V / 30Amp
- Battery charger - 12V / 10Amp
- Battery disconnect switches: BEP, remote motorized
- Bilge pumps: 3 units, DC, automatic, with high water alarms at helm(s)
- Bonding system: zinc anodes, on raw water cooling systems and heat exchangers
- Bow thruster: at lower and upper helms, side power SEP 130, proportional thrusters
- Circuit Breaker panels: AC/DC, BEP
- Engine room lights: DC, LED

ELECTRICAL SPECIFICATIONS, CONT.

- Engine start/stop: at lower and upper helms
- Fresh water system: pressurized, DC
- Isolation Galvanic
- Generator: Fischer Panda 10,000i PMS
- Holding tank - level indicator(s): at lower helm station
- Holding tank - black water: polyethylene, 193 litres (51 US gallons) capacity
- Navigation lights: DC, LED
- Outlets: AC, with GFCI or ELCB protection, Vimar
- Satellite TV antenna prep: pre-wire RG6 cable, from behind (lower) helm cabinet, to mast
- Shore power inlet aft: 1 x 50A, (North America & Japan), 2 x 30A (Europe), 1 x 60A (SE Asia), 1 x 16A (Australia)
- Trim tabs: DC
- TV prep: (i) pre-wire RG6 cable, from behind (lower) helm cabinet, to salon, and owner's stateroom, (ii) adjacent AC outlet
- USB outlet: one unit at helm
- Water heater: AC, 41 Litres (11 US gallons) capacity,
- Windshield wipers: washers, intermittent-low-medium-high speeds, electronic touch control panel, Exalto
- Wiring: marine-grade tin-plated copper

EXTERIOR EQUIPMENT

- Anchor chain locker: with partition for rope and chain, self-draining
- Anchor platform: stainless steel, double stainless steel rollers, & ultra stainless 27kg anchor w/80-meters galvanized chain
- Anodes: zinc; hull, shaft and trim tabs
- Teak caprail
- Cleats: for mooring, stainless steel, fixed
- Courtesy & overhead lights: LED
- Deck fills: fuel, water and waste pumpout, at side decks
- Decking: side and forward decks, painted non-skid, Awlgrip, "Moondust" color

43EU EQUIPMENT LIST



EXTERIOR EQUIPMENT, CONT.

- Flag poles: varnished teak, with stainless steel holders, at bow and stern
- Foredeck lockers: port and starboard
- Foredeck settee: Deckhouse integrated settee with cushions
- Fresh water wash down: with quick disconnect outlet, at bow, including one hose and spray nozzle
- Grab rails: stainless steel
- Mast: aluminium, painted, hinged, with radar bracket (for Radome antenna), spreaders
- Rail gates: stainless steel, port, starboard and aft
- Rubrail: stainless steel striker plate on fiberglass
- Safety rails: at main deck and flybridge, 1 1/8 diameter round profile stainless steel, with intermediate rail
- Skylight hatches
- Step plates: chromed, with casted "Grand Banks" lettering, at rail gate opening, both sides
- Swim ladder: stainless steel, collapsible/sectional, mounted under swim platform
- Swim platform: teak, 88.9 cm (35")
- Windlass: DC, vertical gypsy and drum, two (2) stations
- Windows: grey tempered glass at salon sides, clear tempered glass at salon front, fritted, bonded in place
- Deckhouse windows - fixed, port & starboard

COCKPIT/AFT DECK

- Cockpit locker: starboard locker
- Decking: solid teak, epoxy bonded, TDS System
- Engine room access: pneumatic deck hatch, aluminium ladder

COCKPIT/AFT DECK, CONT.

- Flybridge access: molded fiberglass integral straight staircase, storage inside, with teak treads and stainless steel dual hand rails
- Self-draining cockpit: stainless steel drains, one port and starboard
- Shower: hand-held, in cockpit, with retractable hose, hot & cold
- Transom door: hinged, opening inwards, solid fiberglass, with latch

HELM AREA

- Compass : flush mounted on top of electronics console
- Door : starboard side, hinged
- Electronics console : wrapped with UltraLeather, with teak instrument panel
- Helmseat : fixed, 1-1/2 sitter and footrest

FLYBRIDGE

- Compass : flush mounted on top of electronics console
- Courtesy Lights : LED
- Deck hatch : sliding, for access from cockpit to flybridge
- Decking : painted non-skid, Awlgrip, "Moondust" color
- Electronics console : molded fiberglass
- Floodlights : LED, two units, under mast spreaders
- Helmseat : two (2) unit Pompanette, fixed stainless steel pedestal mount, with foot rest, Locate at Center and to Port
- Lockers : storage under steering console
- Locker : fiberglass molded, starboard aft
- Settees : (i) starboard L-shaped and port straight, molded fiberglass, underseat storage, (ii) cushions, self-piping

FLYBRIDGE, CONT.

- Steering wheel : 26" dia., stainless steel rim
- -Storage lockers : lift top, molded fiberglass, port and starboard of electronics console
- Table : fixed stainless steel pedestal, varnished teak table top
- Windshield : tinted Perspex

SALON

- Door - aft deckhouse : Bi-Fold
- Aft Stbd Window: Up-Down electric window
- Settee to starboard: L-shaped, under-seat storage drawers
- Settee to port: straight, under-seat storage drawers
- Table : teak, table top with maple inlay, flip-up leaves, free standing pedestal
- Entertainment system : (i) Bose Lifestyle (ii) Blu-Ray player
- TV cabinet : Pop-up TV lift

GALLEY

- Cooktop : AC, two electric burners
- Countertop: Silestone, "Tigris Sand"
- Faucet : Single lever, pull-out head with hose
- Garbage Bin
- Lockers & Drawers : storage, below counter and Overhead
- Oven: microwave 220/240V, 50Hz, (Europe, Australia and SE Asia) or 110/120V, 60Hz, (North America & Japan)
- Refrigerator/Freezer: one unit, 12/24 V - Sink : single bowl, stainless steel
- Window treatments : fire retardant blinds

43EU EQUIPMENT LIST

UTILITY ROOM

- Access : galley hatch w/ gas lift ; aluminum ladder
- Exhaust blower : DC, 3" diameter, Jabsco
- Lockers : storage
- Sole : gelcoat with non-skid finish

OWNER'S STATEROOM

- Berth : island, with underberth storage Locker
- Strip Light : LED, below berth base and below overhead locker
- Cabinets : storage below catwalk
- Hanging locker : port and starboard
- Head and shower access : private en-suite
- Mattress : foam, 8" thickness, including 2" memory foam
- Reading lights : two units, DC
- Skylight hatch : Manship, smoked, with Oceanair screen and shade

OWNER'S HEAD/SHOWER

- Cabinets : storage
- Countertop : Silestone, "Tigris Sand"
- Strip Light : Below sink counter
- Exhaust blower : DC, Pelonis
- Mirror
- Shower drain : DC pump
- Shower faucet : single mixer, hand-held
- Shower and Head Flooring : corian floor
- Single Sink
- Sink faucet
- Toilet : Tecma Silence Plus

GUEST STATEROOM

- Berths : twin singles, storage below
- Head access : en-suite
- Hanging locker : laminate interior finish
- Mattress : foam, 6" thickness, including 1" memory foam
- Reading lights : two units, DC
- Skylight : interior between cabin and helm area, tinted glass, with Oceanair screen and shade

GUEST HEAD/SHOWER

- Cabinets : under-counter storage
- Countertop : Silestone, "Tigris Sand"
- Strip Light : Below sink counter
- Exhaust blower : DC, Pelonis
- Shower drain : Whale Waste pump, DC
- Shower faucet : Single mixer, hand-held
- Shower and Head Flooring : corian floor
- Single Sink
- Sink faucet
- Toilet : Tecma Silence Plus

INTERIORS

- 43EU Layout - standard : (i) salon stbd L-settee, port straight settee - (ii) port up galley, helmseat to starboard (iii) two cabins with en-suite head /shower, en-suite wet head - (iv) utility room
- Bulkheads : (i)Teak veneer (ii)Foam padded fabric panel (iii)composite panel
- Cabin doors : teak, polished chrome lock sets
- Cabinet furniture : teak faced
- Drawers : Slider, positive locks
- Canvas Cover : for standard layout (forward deck settee, flybridge port & starboard settees, FB table, FB console, FB steering wheel, FB helm seat) "Navy Blue"
- Grab rails : teak bars, stainless steel fittings

INTERIORS, CONT.

- Hardware : chromed, or stainless steel
- Headlining : vinyl wrap panels, removable with Fast Mount System
- Hull ceiling sides : Fabric Panel
- Indirect lighting - salon : DC, LED
- Lighting : DC, LED
- Portlights : stainless steel, opening, smoked glass, with screens
- Sole - lower : Carpet w/ teak edge/molding on steps
- Sole - upper : Carpet w/ teak edge/molding on steps
- Sole - Galley: teak floor with teak & maple
- Companion Steps: Teak with groove strips
- Switches & outlets : Vimar modular system
- Varnish : satin marine finish
- Window treatments - upper deck : Blinds

REGIONAL SPECIFICATIONS

- CE warranty - components : two years coverage on all components and parts, bow to stern
- USA Certification : NMMA compliance
- Australia : marine electrical compliance

OTHER

- Warranty - hull & deck : five years
- Warranty - osmosis : osmotic blister protection, five years
- Warranty - components : one year coverage on all components and parts, bow to stern
- Owner's Manual : hard copy, plus digital iPad version
- Vessel Vanguard : one year complimentary subscription

43EU EQUIPMENT LIST