



GB60 SALES KIT

GRAND BANKS YACHTS USA [95 ROWAYTON AVENUE ROWAYTON, CT 06853] 203-866-0882

GRAND BANKS YACHTS USA [1866 OTTAWA BEACH ROAD SUITE M HOLLAND, MI 49424] 206-352-0116

GRAND BANKS YACHTS USA [2515 MARINA BAY DRIVE WEST #101 FORT LAUDERDALE, FL 33312] 954-530-4379

GRAND BANKS YACHTS [GRAND BANKS YACHTS SDN BHD PLO 488, JALAN SUASA 81707 PASIR GUDANG JOHOR, MALAYSIA] grandbanks.com



GB60 STANDARD LAYOUT



GB60 LOWER AND MAIN DECK LAYOUT



GB60 LOWER AND MAIN DECK OPTION LAYOUT



LENGTH OVERALL	65'	21.24 meters
LENGTH ON DECK	60'	19.81 meters
BEAM	19' 2"	5.85 meters
DRAFT with SHAFTS	3' 6"	1.1 meters
DRAFT with IPS	2' 10"	0.86 meters
DISPLACEMENT (DRY)	51,520 lbs (ESTIMATED)	23,000 kgs
FUEL CAPACITY	1,320 US gal	7,000 liters
WATER CAPACITY	370 US gal	1,400 liters
HOLDING TANK	TBD	300 liters
STANDARD ENGINE	Twin Volvo D11 725hp (shafted)	
TOP SPEED	32 knots	
CRUISING SPEED	27 knots	

GB60 SPECIFICATIONS & VOLUMES

I



GB60 STANDARD EQUIPMENT

Specifications change from time to time, and actual specifications and performance may vary from those set forth herein. Performance specifications and capacities are based upon tested conditions, and actual specifications and capacities may vary from those set forth herein. Grand Banks shall not be held liable for any discrepancies between the specifications set forth herewith and the actual specifications or performance of any Grand Banks vessel. The specifications set forth in the bill of sale for a particular vessel shall be controlling in case of any conflict with brochures or other marketing materials.

CONSTRUCTION

- All bulkheads and fixed furniture are structurally bonded to the hull and deck for superior strength and rigidity
- All exterior strength steel fittings are 316 marine grade stainless steel
- Antifoul : to owners spec
- Enclosed hardtop - GRP double moulded with electric sliding windows (port, starboard & aft) using toughened glass
- Hull & superstructure are built using the latest technology in composite boat construction. E-Glass, Corcell® and Airex® foam, Duflex paneling, stitched multi-axial fabric, vinylester and epoxy resins are used to produce an extremely strong and lightweight hull.
- Watertight collision bulkhead located in the bow.

POWER

- Twin Volvo D11, rated at 725 MHP , with Twin Disc MGX 5096A marine transmissions and Twin Disc EC300 Controls
- Acoustic engine sound shield

ENGINEERING

- Engine raw water intake strainers
- Engine room faucet: Fresh water, cold only
- Engine room sound insulation: Provide custom sound insulation for engine room and mechanical room
- Main Engine Exhaust System: Taylor Made marine exhaust with custom gas / water separator
- Fire extinguisher: Engine room
- Fuel filters: Racor water separators on each engine (duplex) and generator (single)
- Fuel tank: Full beam FRP tank, 7000 Liter capacity
- Generator exhaust system: Custom exhaust with gas / water separator
- Propellers: Nickel-aluminum-bronze, dynamically balanced, 5 blades

ENGINEERING, CONT.

- Seacocks: Safety seacocks on engine raw water inlets
- Shaft and Shaft Log: Seatorque drive system
- Steering: Hypro fly by wire / hydraulic
- Struts: Seatorque drive system
- Water purification system: Seagull IV X-1F microbiological purifier with faucet, in galley
- Water tanks: Polyethelene, 1200 Litre capacity

ELECTRICAL SPECIFICATIONS

- Air-conditioning: Custom designed Cruisair package
- Batteries: (Engine Bank) 2 x 24V banks
- Batteries: (Generator Bank) 1 unit
- Battery charger: Engines - Pro Mariner - Pro Nautic 24.30P
- Battery charger: Generator
- Battery disconnect switches: BEP, remote motorized
- Battery paralleling: BEP
- Bilge Pumps: Four (4) units, DC, automatic, with high water alarm at helm(s), 2000 gallon/hour, 24V
- Bonding system: Zinc anodes, on raw water cooling systems and heat exchangers
- DC outlets: 12V, two units, one at each helm
- Distribution panels: AC/DC
- Engine room lights: DC, LED
- Engine start/stop: Lower and upper helms
- Entertainment system: (i) Bose system, iPod interface, Blu-Ray player (ii) Fusion system at flybridge and cockpit
- 42" LED HDTV in-cabinet, with power lift
- Fresh water system: Pressurized, DC
- Generator: 25,000I inverter generator
- Holding tank: Black water: polyethylene, 67-gallon capacity; deck fitting for dockside pumpout; equipped with direct discharge pump, DC

ELECTRICAL SPECIFICATIONS, CONT.

- Holding tank: Level indicator(s) at lower helm station
- Horn: Electric
- Search light: 24VDC
- Icemaker: AC
- Inverter/charger: 4000W / 24V / 100Amp
- Navigation lights: DC, LED
- Outlets: AC, with GFCI or ELCB protection, Vimar
- Shore power inlet aft: 1 x 16A, (Europe, Australia, SE Asia)
- Shore power inlet aft: 1 x 50A, Glendinning Cablemaster with 50 feet cable (North America & Japan)
- Shore power inlet forward: 1 x 50A (North America & Japan)
- Trim tabs: DC, Lenco, Electric Actuators
- Washer/dryer combo
- Water heater: AC, 23 gallon capacity, rapid recovery with heat exchanger
- Windshield wipers: Washers, intermittent-low-medium-high speeds, electronic touch control panel, Exalto
- Wiring: Marine-grade tin-plated copper

COCKPIT & EXTERNAL

- Anchor winch, DC vertical
- Anchor chain locker: With partition for rope and chain, self-draining
- Anchor platform: Stainless steel, single stainless steel roller
- Anchor: (1) unit 27kg Ultra Anchor with stainless steel swivel, 100-feet of 10 mm galvanized chain and 260-feet of 18mm rope
- Anodes: Zinc, hull shaft and trim tabs
- Cabin top: Painted non-skid, Awlgrip, "Moondust" color
- Cleats: 6, for mooring, stainless steel, fixed
- Courtesy & overhead lights: LED
- Deck fills: Fuel, water and waste pumpout, at side decks
- Decking: Solid teak side decks, epoxy bonded
- Flag pole: Varnished teak, with stainless steel holder, at stern and bow

GB60 EQUIPMENT LIST

COCKPIT & EXTERNAL, CONT.

- Fresh water wash down: Quick disconnect outlet, at bow, including one hose and spray nozzle
- Grab rails: Stainless steel
- Rail gates: Stainless steel, port and starboard
- Rubrail: Heavy-duty, stainless steel profile
- Safety rails: Main deck and flybridge
- Skylight hatches: opening
- Swim ladder: Stainless steel, collapsible/sectional
- Swim platform: Integral
- Toe rail: teak
- Transom Planks: teak transom planks
- Windows: Grey tempered glass at salon sides, clear tempered glass at windscreen, fritted, bonded in place
- Canvas Package: Sunbrella covers for flybridge, and cockpit table (choice of colors)

COCKPIT / AFT DECK

- Decking: Solid teak, epoxy bonded
- Flybridge access: Custom ladder, with teak treads and stainless steel dual hand rails
- Lazarette hatches: 1 unit, teak, pneumatic
- Self-draining cockpit: Stainless steel drains, one each port and starboard
- Shower: Hand-held, in cockpit, with retractable hose, hot & cold
- Transom door: 1 unit, retractable sliding doors, solid fiberglass, with latch
- Bulwark Doors: Install bulwark doors at port and starboard sides
- Aft wet bar: Provide and install aft wet bar at aft locker with BBQ, fold up seats and custom sink

HELM

- L shaped settee: Built-in, to starboard
- Compass: Flush mounted on top of electronics console, Ritchie
- Door: Port side, hinged, interior teak inlay
- Electronics console: Fabric body and instrument panel
- Helmseat: Custom made twin helm seat
- Steering wheel: Stainless steel, teak rimmed

FLYBRIDGE

- Compass: Flush on top of electronics console, Ritchie
- Courtesy lights: LED
- Deck hatch: Hinged, for access from cockpit to flybridge
- Decking: Painted non-skid, Awlgrip "Moondust" color
- Helmseat: 3 units, Stidd Admiral Low Back, with deluxe chrome package and cupholder
- Locker: Fiberglass molded, to port
- Locker: Storage under steering console
- Settees: (i) Forward facing L-shaped molded fiberglass, underseat storage, (ii) cushions
- Steering wheel: Stainless steel, teak rimmed
- Table: Stainless steel pedestal, varnished fixed teak flat top
- Windshield: Tinted Perspex with solid stainless steel frame
- Hard Top: Flybridge hard top with GRP structure and lighting
- Crane: Steelhead ES1000 davit

SALON

- Bar cabinet: Bottle and accessory storage
- Doors: Bifold teak door
- Engine removal: Soft patch
- Refrigerator/freezer: Front opening, Isotherm, DC, at bar cabinet
- Settee to port: U-shaped, under-seat storage drawers
- Table: Teak, flat top, flip-up leaf, fixed stainless steel pedestal
- Windows: Electric sides and rear
- Wine Cooler: 23-bottle - neutral glass

GALLEY

- Cooktop: Electric cooktop
- Countertop: Silestone "Tigris Sand"
- Engine room access : TBD
- Lockers: Teak, storage
- Oven: Microwave & grill (convection), 220/240V, 50Hz, Miele H-6600 (Europe, Australia & SE Asia)
- Oven: Microwave/convection oven, 110/120V, 60Hz, Sharp R930CS (North America & Japan)
- Fridge Freezer: (1) unit Isotherm DR165 INOX refrigerator, (1) unit Isotherm cruise 130 refrigerator and (1) unit Isotherm Cruise 90 freezer (Stainless Steel)
- Dishwasher: Miele G5570 SCVi single drawer dishwasher
- Sink: Single bowl, stainless steel, Franke
- Flooring: Solid teak storage, custom Silestone above counter basin and designer faucet
- Chrome towel rails (1)
- Hull liner: owner's choice of color
- LED overhead lighting

GB60 EQUIPMENT LIST



GRAND BANKS YACHTS

MASTER STATEROOM

- Berth: Island king, top load storage, drawers
- Cabinets: Storage throughout
- Hanging locker
- Head and shower access: Private en-suite
- Mattress: Inner spring, pillow top with 2" memory foam
- Reading lights: Two units, DC
- Skylight hatch: opening

MASTER HEAD/SHOWER

- Cabinets: Under-counter storage
- Countertop: Silestone, "Tigris Sand"
- Shower drain: Whale sump box, DC
- Shower faucet: Mixer, hand-held
- Shower stall: Separate cell, glass doors, with solid teak floor
- Sink faucet: Single lever
- Sink: Above-mount, porcelain
- Skylight hatch: opening
- Toilet: Tecma Silence Plus, fresh water flush through macerator
- Vanity: Above-counter storage

GUEST STATEROOM (FORWARD)

- Berth: Custom layout with four V - berth bunks
- Hanging locker
- Mattress: Inner spring, pillow top with memory foam
- Port-hole: Lewmar, opening, smoked glass, with screen
- Reading light: Four units, DC, LED
- Berth: Twin singles, storage below

GUEST HEAD/SHOWER

- Cabinets: Under-counter storage
- Countertop: Silestone "Tigris Sand"
- Shower drain: Sump box, DC
- Shower faucet: Grohe, mixer, hand-held
- Shower stall: Separate cell, glass doors, with solid teak floor
- Sink faucet: Grohe, single lever
- Sink: Above-mount, porcelain
- Skylight hatch: Lewmar, opening
- Toilet: Tecma Silence Plus, fresh water flush through macerator

INTERIOR

- Bulkheads: (i) Teak veneer, (ii) textured fabrics
- Cabin doors: Teak, with flat panels, polished chrome lock sets
- Cabinet furniture: Teak faced
- Cabinet furniture: Teak, raised panels
- Countertops: Galley - Silestone "Tigris Sand"
- Countertops: Heads - Silestone "Tigris Sand"
- Drawers: Soft close, positive lock
- Fabric package: Designer package
- Grab rails: Teak bars, stainless steel fittings
- Hardware: Stainless steel and chrome
- Headlining: Vinyl panels, foamed back, removable with Fast Mount System
- Indirect lighting: Salon only, at valance, LED
- Interior Varnish: Satin marine finish
- Lighting: DC, LED
- Lights: Reading lights at berths
- Portlights: Lower deck
- Skylight hatch screen: Lewmar, opening
- Sole: Lower deck - Sisal carpet
- Sole: Upper deck - Sisal carpet at pilot house and saloon
- Solid teak @ galley,
- Switches & outlets: Vimar modular system

EUROPEAN SPECIFICATIONS

- Warranty components: two years' coverage on all components and parts, bow to stern

OTHER

- Owner's Manual : hard copy, plus digital iPad version
- Vessel Vanguard: one year complimentary subscription
- Warranty - components: one year coverage on all components and parts, bow to stern
- Warranty - hull & deck: five years coverage
- Warranty - osmosis : osmotic blister protection, five years coverage

GB60 EQUIPMENT LIST

